

CPR

NO BREATHING

AFTER CHECKING THE SCENE AND THE INJURED OR ILL PERSON:

1 GIVE 30 CHEST COMPRESSIONS

Push hard, push fast in the middle of the chest at least **2 inches** deep and at least **100** compressions per minute

TIP: Person must be on firm, flat surface.



2 GIVE 2 RESCUE BREATHS

- Tilt the head back and lift the chin up.
- Pinch the nose shut then make a complete seal over the person's mouth.
- Blow in for about **1** second to make the chest clearly rise.
- Give rescue breaths, one after the other.

Note: If chest does not rise with rescue breaths, retilt the head and give another rescue breath.



3 DO NOT STOP

Continue cycles of CPR. Do not stop CPR except in one of these situations:

- You find an obvious sign of life, such as breathing.
- An AED is ready to use.
- Another trained responder or EMS personnel take over.
- You are too exhausted to continue.
- The scene becomes unsafe.

WHAT TO DO NEXT

- IF AN AED BECOMES AVAILABLE—Go to AED, PANEL 7.
- IF BREATHS DO NOT MAKE THE CHEST RISE—AFTER RETILTING HEAD—Go to Unconscious choking, PANEL 5.

TIP: If at any time you notice an obvious sign of life, stop CPR and monitor breathing and for any changes in condition.

PANEL **6**